









The **Vango** gives you all the flexibility of a flatbed trailer with the weathertight advantage of a van trailer.



The Vango system is self-sealing and weathertight.



The *Vango* can be opened and closed without climbing on the deck of the trailer.



Skylights and double uplift support bows are standard. 90" and 100" systems are standard. *Vango* tarps can be custom made to any height.



The *Vango* system is easily moved to any position on the trailer. The *Vango* rail is bolted to the rubrail of the trailer and does not affect the loading space of the trailer.

Vango Rollup Tail

The *Vango* rollup tail is "set" on the top of the system. The tail is completely out of the way for loading.

The Vango is "Panelized"

A panelized tarp will save you time and money when repairs are needed. A tarp panel can be changed in 90 minutes or less. The *Vango* tarp has no seams and is made from the highest quality fabric in the world.

The Vango Front-Locking System

The *Vango* Front-Locking System is conveniently located on the front of the bulkhead. The operator can lock the system without climbing on the trailer.

The Vango Rear-Tensioning Device

The *Vango* Rear-Tensioning Device (patent pending) is simple, fast and safe. The operator uses a winch bar to tension the *Vango* system.



VangoInstallation Options



Dropdeck Vango - no midpoint connection



Vango on a Car Hauler




Make your Vango stand out with color!



Straight Truck Vango



Our graphic department turns your *Vango* into a moving billboard!



Protected by U.S. Patents #5,026,109 and #5,080,423. Canadian Patent #2,026,344



ROLLING TARP SOLUTIONS

vangotarps.com • 1-800-443-TARP

01022024

Copyright ©2023 Safe Fleet and its subsidiaries. All rights reserved. No part of this publication may be reproduced by any means without written permission from Safe Fleet. The information in this publication is believed to be accurate. However, Safe Fleet does not make any representation or warranty to that effect and does not assume responsibility for any consequences resulting from use of such information. Revisions or new editions of the publication may be issued (or not issued) in our discretion to incorporate such changes.

